



E·A·R™

Hearing Protection


3M™ E-A-R™ Flexible Fit HA Earplug

Hearing protection simplified.

Introducing the 3M™ E-A-R™ Flexible Fit HA Earplug - the first earplug with a one-hand insertion NRR claim.


Breakthrough innovations in hearing protection don't happen every day. That's why we're excited to introduce the 3M™ E-A-R™ Flexible Fit Earplug.

It's the first earplug that offers NRR 25 dB using a one-hand insertion, or NRR 30 dB with two-hand insertion.*



Reinventing the Push-To-Fit category.

The 3M™ E-A-R™ Flexible Fit Earplug has a soft foam tip and a flexible foam-covered fitting stem that allows easy insertion into the ear canal using one or two hands.



The shape of the earplug tip along with the soft conforming foam helps to provide a snug yet comfortable fit that helps reduce exposure to hazardous noise levels.

The no roll-down design of the foam tip helps keep earplug tips clean when hands are dirty.

3M™ E-A-R™ Flexible Fit Earplugs are fit-testable with the 3M™ E-A-Rfit™ Dual-Ear Validation System.*

Product I.D.	3M I.D.	UPC	Description	
328-1000	70-0717-3224-5	50051131279327	3M™ E-A-R™ Flexible Fit Earplug HA 328-1000, ANSI, uncorded, polybag, 400 pair per case	
328-1001	70-0717-3227-8	50051131279402	3M™ E-A-R™ Flexible Fit Earplug HA 328-1001, ANSI, corded, polybag, 400 pair per case	
393-2026-50	70-0717-3269-0	50068060428535	3M™ E-A-R™ Flexible Fit Probed Test Plugs, 393-2026-50, 50 pair per case	

To request a sample visit [Engage.3M.com/FlexibleFitEarplug](https://www.engage.3m.com/flexiblefitearplug)



3M Personal Safety Division 3M Center,
Building 235-2NW-70 St. Paul,
MN 55144-1000, 3M.com/Hearing

For more information:
Technical Service 1-800-243-4630
Customer Service 1-800-328-1667

Always read and follow User Instructions.

© 3M 2020. All rights reserved. 3M, E-A-R, and all other trademarks used herein or hereon are trademarks of 3M Company, used under license in Canada. Please recycle.

Printed in the U.S.A.

*3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

Noise Reduction Rating (NRR) 25 dB for one-hand insertion and 30 dB for two-hand insertion.